

SKIN Curious Collection



Common Attributes	Units	Test Method	135gsm	270gsm	380gsm
Wood Pulp Bleach Type			ECF Woodfree Virgin Pulp - FSC Certified		
Printing Process Suitability			Offset litho (Colours: Oxidizing inks / Whites: Semi fresh inks) / compatible with Metallic & White Offset litho silkscreen, letterpress, embossing and debossing, hot foil blocking, die stamping,		
Laser cutting			On colours only & tests recommended		
Skin Digital - Whites only			Whites (Extra White, Ivory and Stone only): HP indigo, Xerox iGEN3 and Xerox Docucolor compatible		
Mono Laser Guaranteed 'I'			No	No	No
Colour Laser Guaranteed 'I'			No	No	No
Mono Ink Jet Guaranteed 'I'			No	No	No
Colour Ink Jet Guaranteed 'I'			No	No	No
Recommended p.H. of Fount solution			5.5 +/- 0.5		
Surface p.H.		TAPPI 529OM			
Non Aging Credentials		ISO 9706	Extra White, Ivory and Stone only		
Environmental Label		ISO 14001	All Mills have ISO 14001		
Quality Management		ISO 9002	All Mills have ISO 9002 / ISO 9001		
Moisture Content	%	ISO 287	5	5	5,5
Relative Humidity	%	TAPPI T502	45	45	45
Caliper	µm	ISO534	130	260	385
Extra White Opacity	%	ISO2471	95,5		
Bekk Smoothness	Bekk sec	ISO5627	50	60	60
L&W Stiffness Machine Direction / Cross Direction	mN	ISO2493	250 / 140	1700 / 1000	4000 / 2200

'I' Skin Curious Collection is NOT inkjet or laser guaranteed. The papers without treatment in the range should give acceptable results on machines such as the Kodak NexPress, Xerox iGen3 and other Xerox Docu



These specifications are the property of Arjo Wiggins Fine Papers Ltd and may be changed without prior notice. They are target values only for use as a guide.