## CONQUEROR 100% recycled

The RANGE				
Finishes	Conqueror 100% recycled CX22 Conqueror 100% recycled WOVE Conqueror 100% recycled LAID			
Colors	Diamond White recycled Brilliant white recycled			
Weights	100, 120, 160, 220, 300, 320gsm			
Size	21 X 29,7cm (A4), 45 x 64 cm	21 X 29,7cm (A4), 45 × 64 cm (SRA2), 70 × 100 cm (B1)  CONQUEROR  CONQUEROR		
Watermark	conqueror 100% recycled	conqueror 100% recycled		
	CX22 and Wove	Laid		
Enveloppes	DL (W) in Wove, Laid, CX22			
Printing guarantees	Total Office Guarantee 100g - 160g Guaranteed for pre-printing and subsequent use on all office colour or mono, laser or inkjet machines as well as copiers an all-in-ones, subject to manufacturers' guidance on grammage	d digital desktop mono and colour, laser and inkjet machines subject		
	CX22 and Wove	Laid		
Applications	Business stationery: Letterhead, flyers, press release, business cards, compliment slips  Corporate communication: Brochures, annual report, environmental charts			
	Advertising and Promotion:  Mailings, direct marketing, invitations, cards			

## conqueror

## 100% recycled

Conqueror 100% recycled and the environment			
100% recycled fibres	100% made from <b>postconsumer de-inked</b> paper waste Exclusive selection of papers made by Greenfield No use of Chlorine		
FSC certified	FSC  Recycled Supporting responsible use of forest resources  Cert no.  When the Corg of 1996 Forest Stewardship Council  COC number: TT - COC - 002043		
Carbon Neutral	In the UK and in Germany  CARBON NEUTRAL  CarbonNeutral.com  CO <sub>2</sub> emissions reduced to net zero in accordance with The CurbonNeutral Protocol		
Full mill certifications	ISO 9001 Quality management ISO 14001 EU environmental management/certification scheme		

	KEY benefits		
PREMIUM	The recycled paper that does not looked recycled:  → High level of brightness, cleaness, whiteness → Conqueror quality and touch: best sellers CX22, Wove and laid, now available in 100% recycled versions → Excellent bulk and opacity → Very low level of dusting for an excellent printability		
UNIQUE	A unique and dedicated process in our Greenfield mill: special selection of the fibres, optimised de-inked process, tailored-made very strict quality control		
ENVIRONMENTAL	100% made from postconsumer waste, FSC certified, CarbonNeutral (in the UK and Germany), + mills certifications  Each time you use 1 tonne of Conqueror 100% recycled, rather than a non		

recyc	led	paper,	you

- → save 33m3 of Water (7 months of a single person consumption)
- → decrease by 25% energy consumption

RECOMMENDATIONS		
Printing	Lithograohy, Letterpress, Thermography, Die Stamping, Foil Blocking, Embossing, Screen Process, Laser Printing and InkJet Printing	
Reprographics	Use Screen ruling from 133 lpi to 200lpi depending upon the image and paper texture. Typically 150 - 175 lpi work well for most imagery.	
Ink	Use laser suitable conventional positive drying inks for all textures except CX22 which requires fully oxidising inks for good drying.	
Varnish	Protecting varnishes may be used. Decorative varnishes must be applied through the UV screen process and repeated to achieve desired effect.	
Finishing	Die cutting, laser cutting, creasing and folding, perfect binding, punching, tabbing, stitching and sewing are all suitable techniques.	
	TECHNICAL EDECITEDATIONS	

## TECHNICAL SPECIFICATIONS

Finish	Colors	Weight ISO 536	BULK ISO 534	ROUGHNESS BENDTSEN	CIE WHITENESS	OPACITY ISO 2471	RELATIVE HUMIDITY
		(GSM)	(cm3/g)	ISO 8791 – 3	ISO 11475	(%)	ISO 287
			(* 3)	(ml/min)	(%)		(%)
CX22	DIAMOND	100	1.2	50	146.0	90	35-60
	white	120	1.1	50	146.0	93	35-60
	recycled	160	1.0	50	146.0	95	35-60
		320	1.0	50	146.0	>97	35-60
WOVE	BRILLIANT	100	1.3	200	137.0	90	35-60
	white	120	1.3	200	137.0	94	35-60
	recycled	160	1.3	200	137.0	94	35-60
		220	1.2	200	137.0	>97	35-60
		300	1.1	200	137.0	>97	35-60
WOVE	DIAMOND	100	1.3	200	146.0	90	35-60
	white	120	1.3	200	146.0	94	35-60
	recycled	160	1.3	200	146.0	94	35-60
		220	1.2	200	146.0	>97	35-60
		300	1.1	200	146.0	>97	35-60
LAID	BRILLIANT	100	1.4	850	137.0	90	35-60
	white	120	1.4	800	137.0	96	35-60
	recycled	220	1.4	1600	137.0	>97	35-60
		300	1.4	1700	137.0	>97	35-60
LAID	DIAMOND	100	1.4	850	146.0	90	35-60
	white	220	1.4	1600	146.0	>97	35-60
	recycled	300	1.4	1700	146.0	>97	35-60