




September 2024

OLIN Millesime is a new range of 100% pure cellulosic, uncoated boards. Part of the OLIN family and offers high quality, modern and reliable ivory boards. The range is certified PEFC, ISO 14001 and ISO 9001.

Its impressive whiteness, warm tone and natural surface make OLIN Millesime the perfect choice for a wide range of printing applications. Its high rigidity also makes it suitable for all kinds of finishing works.

OLIN Millesime is ideal for announcements, business cards, insert, menus, press kits....

PRINTING GUIDELINES

PRINTING

- Litho offset
- Laser and inkjet printing
- Letterpress
- Digital printing

FINISHING AND CONVERSION

- Embossing & die-stamping: all techniques can be used.
- Hot foil stamping: no precautions are necessary when using conventional foil stamping techniques. Foil blockers can recommend the best foil to suit the image and paper chosen.
- Varnishing: possible but trials to be made first.
- Lamination: not recommended.
- Cutting: it is recommended to wait 24hours after the printing. Ensure that the blade of the guillotine is sharp enough in order to avoid dust deposits.



CREATIVE
POWER

by antalis

September 2024

Property & Unit	Standard						
GSM	-	180	224	250	280	320	400
Thickness (µm)	-	205	257	287	322	368	460
Opacity (%)		98%	98%	98%	98%	98%	98%
Humidity (%)	-	6.6	6.6	6.6	6.6	6.6	6.6
Collage Writing (U)	-	5	5	5	5	5	5
Tilting (mm)	-						
Slash (R=Kpa)	-	600	600	600	600	600	600
Smooth BEKK Canvas	-	26	26	26	26	26	26
Smooth BEKK Felt	-	26	26	26	26	26	26

These values are to be considered only as indications and are subject to change according to trade tolerances in the quality specification. Issue date: March 2023

